

# VADEMECUM

UniPharma

Advanced  
dermatological  
solutions

### **ADVANCED DERMATOLOGICAL SOLUTIONS**

*UniPharma is a laboratory comprised of specialists in the field of skin care products, involved in the challenging project of providing solutions for major skin conditions through developing safe products at a reasonable price. We are compromised with using the best resources and working with dedication to help achieve new treatments required by leading dermatologists, pediatricians, specialist and medical staff.*

# INDEX

## ■ SPECIFIC USE / PATHOLOGIES

---

<b>Avena UniPharma:</b> Sensitive and delicate skin types .....	06
<b>Avental® Liquid Talc:</b> Itching, chafing and skin rashes, excessive sweating .....	07
<b>Cetrimida UniPharma:</b> Dandruff, seborrhea, psoriasis and microbial eczema .....	08
<b>Codigel® Intimate moisturizing gel</b> .....	08
<b>Cutiderm®:</b> Skin disreactivity. Dehydrated, strained and irritated skin .....	09
<b>Dermiurea®:</b> Dry and cracked skin .....	09
<b>Desulpir® Azufrado:</b> Dandruff .....	10
<b>Emoil® Emollient:</b> Contact Dermatitis. Atopic Dermatitis. Senile pruritus. Ichthyosis .....	10
<b>Emoil® Cream:</b> Restoring body milk .....	11
<b>Lactum®:</b> Dryness and tightness .....	11
<b>Permetrin®:</b> Parasites. Pediculosis .....	12
<b>Pirotex DS®:</b> Severe seborrheic flaking. Dandruff. Itching and redness of the scalp. cradle cap..	12
<b>Tar-plus:</b> Psoriasis, pruritus and Ichthyosis .....	14
<b>Trietal®:</b> Dry, sensitive or irritated atopic skin. Ichthyosis .....	15

## ■ DAILY USE

---

<b>Acon®:</b> Shampoo with Conditioner .....	20
<b>Almital®:</b> Deodorant .....	20
<b>Dermosul pH5:</b> Acid liquid soap .....	21
<b>Lactodermol® pH5,5:</b> Moisturizing liquid soap .....	21
<b>Optimus®:</b> Mosquito repellent .....	22

## ■ DERMOCOSMETIC

---

<b>Dermiurea® Facial:</b> Facial moisturizer with urea and vegetable Ceramides. SPF 20 .....	26
<b>Hidromar®:</b> Revitalizing and regenerating facial cream with Isoflavones 1% .....	26

## ■ SKIN PHARMACEUTICAL SPECIALTIES

---

<b>Sarcop®:</b> Scabicial treatment .....	30
---	----





## AVENA UNIPHARMA COLLOIDAL BATH



**INDICATIONS:** Specifically for the hygiene of sensitive and delicate skin types. Relieve skin irritation caused by allergies or pruritus.

**COMPOSITION:** STERILIZED, MICRONIZED AVENA SATIVA.

**PACKAGING:** 500 gr. box containing 10 sachets of 50 gr. each

### **DIRECTIONS FOR USE:**

**For baths:** Adults: use a 50 gr. sachet of the product and pour into water.  
Children: use half a sachet of the product and pour into water.

**Compresses:** For localized use, apply directly to the area to be alleviated.

**Mask:** Moisten the content of one 50 gr. sachet with water, mix it until it gets a mush consistency, and apply over the face.

---

## AVENA UNIPHARMA LIQUID SOAP



**INDICATIONS:** Product based on the softening, moisturizing, emollient and protective properties of oats. These qualities make it an ideal product for daily hygiene for children and adults with sensitive and irritated skin.

**COMPOSITION:** AQUA, SODIUM LAURETH SULFATE, COCAMIDOPROPYL BETAINE, AVENA SATIVA.

**PACKAGING:** 500 ml. bottle

**DIRECTIONS FOR USE:** Apply the product to wet skin. The use of a sponge is recommended if more foam is desired. Rinse the skin with plenty of water.



## AVENA UNIPHARMA BODY MILK

**INDICATIONS:** Hydrating body milk specifically developed for sensitive and delicate skin. Composed with oats and vegetable oils, it provides both protection and hydration to the skin.

**COMPOSITION:** HELIANTHUS ANNUUS, AVENA SATIVA, PERSEA GRATISSIMA, ESQUALENE, BORAGO OFFICINALIS.

**PACKAGING:** 200 ml. bottle

**DIRECTIONS FOR USE:** Apply a small amount of product on the skin and massage gently until completely absorbed.



## AVENTAL® LIQUID TALC



**INDICATIONS:** The same as those of talcum powder: itching, chafing and skin irritations, excessive sweating. Soothes nappy rash. Suitable for use in Sports Medicine and when using prosthesis. **DOES NOT STAIN.**

**COMPOSITION:** PARABEN-FREE.

AQUA, TALC, PROPYLENE GLYCOL, PARAFFINUM LIQUIDUM, PERG-40 CASTOR OIL, SODIUM CETEARYL SULFATE, AVENA SATIVA KERNEL EXTRACT, GLYCERIN, SORBIC ACID.

**PACKAGING:** 200 ml. bottle

**DIRECTIONS FOR USE:** Apply to the area to be alleviated as many times as necessary, gently massage into skin until completely absorbed.



## CETRIMIDA UNIPHARMA ANTI-DANDRUFF SHAMPOO

**INDICATIONS:** Especially indicated for remedy of dandruff, psoriasis and microbial eczema of the scalp.

**COMPOSITION:** PARABEN-FREE.

COCAMIDOPROPYL BETAINE, AQUA, CETRIMONIUM CHLORIDE, PHENYLETHYL ALCOHOL, PEG-75 LANOLIN, UNDECILENIC ACID.

**PACKAGING:** 200 ml. bottle

**DIRECTIONS FOR USE:** Use fingertips to gently apply a small amount of the product into wet scalp. Leave the foam for 5 to 10 minutes. Rinse with plenty of water. Repeat 2 to 3 times a week.



## CODIGEL® INTIMATE MOISTURIZING GEL VULVOVAGINAL MOISTURIZING GEL. AQUEOUS BASE.

**INDICATIONS:** Product indicated for intimate zones in those situations in which extra lubrication is needed. CODIGEL® is a hydrating intimate gel use for the relief of symptoms of atrophy, dryness and related discomfort that can occur during pregnancy, postpartum, menopause or due to physical or chemical irritation, or alteration of normal vaginal microbiota or dryness associated with use of oral contraceptives or other medications.

**COMPOSITION:** AQUA, GLYCERIN, GLUCONOLACTONE, CHLORHEXIDINE DIGLUCONATE, SODIUM HIDROXIDE.

**HIGHLIGHT INGREDIENT:** CHLORHEXIDIN: Antibacterial substance that has antiseptic properties. GLICERINA Y GLUCONOLACTONA: Moisturizers.

**PACKAGING:** 125 ml. bottle

**DIRECTIONS FOR USE:** Apply to the vulvar area 2 or more times a day. Keep the product's bottle closed to maintain its properties.



## CUTIDERM® CREAM



**INDICATIONS:** Ideal for non-pathological cases of skin disorders, dry and tightened skin and skin irritation problems such as RED FACE, REACTIVE SKINS, OR POST SHAVING/HAIR REMOVAL SKIN IRRITATION.

**COMPOSITION:** PARABEN-FREE.

AQUA, PHOSPHOLIPIDS, GLYCERIN, BUTYROSPERMUM PARKII, PRUNUS ARMENIACA JERNEL OIL, TOCOPHEROL, BISABOLOL, PHYLLANTUS EMBLICA FRUIT EXTRACT, CHAMOMILLA RECUTITA, SPHINGOLIPIDS, ALLANTOIN, GLUCOSE, UREA, LYSINA, GLYCINA, LACTIC ACID, BENZOPHENONE-3, SORBIC ACID.

**PACKAGING:** 50 ml. jar

**DIRECTIONS FOR USE:** Spread the cream with soft circular movements to encourage complete absorption. It is advisable the application of CUTIDERM® once or twice a day.



## DERMIUREA® 5% / 10% / 20% / 30% HYDRATING CREAM



**INDICATIONS:** Specific moisturizer for dry and cracked skin.

**COMPOSITION:** AQUA, UREA (5%, 10%, 20% or 30% accordingly), CETEARYL ALCOHOL, PARAFFINUM LIQUIDUM, PROPYLENE GLYCOL, PEG-40 CASTOR OIL, DIMETHICONE, PHENOXYETHANOL, SODIUM CETEARYL SULFATE, CHLORPHENESIN, CAPRYLYL GLYCOL.

**PACKAGING:** 200 ml. bottle

**DIRECTIONS FOR USE:** **DERMIUREA 5%, 10% and 20%:** Apply a small amount of the product over dry skin areas and massage until absorbed.

**DERMIUREA 30%:** for softening and removal of corns and calluses on feet and hands. Apply at night over the areas to be softened, spread the cream covering affected areas. The next day, clean the area with liquid soap. Repeat this process daily. After 5-6 days, the skin area will be soft and flexible, allowing hardness to be removed easily.

## DESULPIR® AZUFRADO

ANTI-DANDRUFF SHAMPOO WITH ZINC PYRITHIONE AND SULPHUR



**INDICATIONS:** Specific anti-dandruff shampoo with bacteriostatic and fungicidal properties of its main ingredients ZINC PYRITHIONE and SULPHUR.

**COMPOSITION: PARABEN-FREE.**

SODIUM LAURETH SULFATE, SULPHUR, PYRITHIONE ZINC, SODIUM CHLORIDE.

**PACKAGING:** 200 ml. bottle

**DIRECTIONS FOR USE:** Shake the bottle before use. Apply shampoo over wet hair; rub gently and leave for a few minutes. Rinse with water. It can be used daily until no dandruff remains. Once the dandruff is gone, it is advisable to use DESULPIR® AZUFRADO once a week to prevent dandruff from re-occurring.

---

## EMOIL® EMOLLIENT

HIGH HYDRATING BATH OIL



**INDICATIONS:** Contact dermatitis. Atopic dermatitis. Senile pruritus. Ichthyosis.

**COMPOSITION: PARABEN-FREE.**

PARAFFINUM LIQUIDUM, ISOPROPYL PALMITATE, CETYL ACETATE, OCTYL ACETATE, ACETYLATED LANOLIN ALCOHOL, PEG-8 DILAUATE.

**PACKAGING:** 200 ml. bottle

200 ml. spray

**DIRECTIONS FOR USE:** Apply product to moistened skin. Rinse with water. Gently pat dry without rubbing. It can be used directly on a specific area of the skin.



## EMOIL® CREAM

### SKIN RESTORING CREAM WITH OLIVE OIL



**INDICATIONS:** Contact dermatitis. Atopic dermatitis. Senile pruritus. Ichthyosis.

**COMPOSITION: PARABEN-FREE.**

AQUA, OLEA EUROPAEA (OLIVE) FRUIT OIL, PARAFFINUM LIQUIDUM, PROPYLENE GLYCOL, DIMETHICONE, B.H.T., BENZYL ALCOHOL, PEG-40 CASTOR OIL, SODIUM CETEARYL SULFATE, GLYCERIN, SORBIC ACID, SALICYLIC ACID, PARFUM, HEXYL CINNAMAL, LINALOOL, BENZYL SALICYLATE, D-LIMONENE/DIPENTENE/l-LIMONENE, CITRONELLOL, BUTYLPHENYL METHYLPROPIONAL, CINNAMYL ALCOHOL, EUGENOL.

**PACKAGING:** 75 ml. tube  
400 ml. bottle with pump dispenser

**DIRECTIONS FOR USE:** Apply a light layer of EMOIL® CREMA once or twice a day; gently massage until completely absorbed.



## LACTUM®

### HIGH HYDRATING BODY MILK. DRY SKINS



**INDICATIONS:** Immediate relief for dry and tight skin. Deep hydrating action. Skin cell regeneration. It stimulates collagen production; increase thickness of dermis and epidermis; prevents and reverses skin atrophy (after surgery or use of topic steroids); and alleviate skin burned by the sun, as well as radiation therapy or laser treatments.

**COMPOSITION: PARABEN-FREE.**

AMMONIUM LACTATE 12%, TOCOPHERYL ACETATE, CALENDULA OFFICINALIS FLOWER EXTRACT.

**PACKAGING:** 200 ml. bottle  
500 ml. bottle with pump dispenser

**DIRECTIONS FOR USE:** Apply a small quantity on the skin and massage until completely absorbed.

## PERMETRIN® SHAMPOO

### PEDICULICIDE SHAMPOO



**INDICATIONS:** lice and nits treatment. Parasite elimination.

**COMPOSITION: PARABEN-FREE.**  
PERMETHRIN (DCI) 1.5 % and EXCIPIENT.

**PACKAGING:** 125 ml. bottle  
200 ml. bottle

**DIRECTIONS FOR USE:** Apply generously to wet hair, washing the scalp just one time. Make sure to have completely covered all the hair and scalp. Let the product act for at least 10 minutes, at the discretion of the physician. After this, rinse thoroughly with plenty of water and dry normally. Repeat 10 days later in case any nits have hatched.



## PIROTEX® DS SHAMPOO

### SHAMPOO FOR RELIEVING SEVERE SEBORRHEIC FLAKING



**INDICATIONS:** For relieving severe seborrheic flaking, eliminating dandruff. Soothes itching and redness of the scalp.

**COMPOSITION: PARABEN-FREE.**  
CICLOPIROXOLAMINE, ICHTHYOL PALE (SODIUM SHALE OIL SULFONATE), ZINC PYRITHIONE.

**HIGHLIGHT INGREDIENT:** formulation includes ICHTHYOL PALE (SODIUM SHALE OIL SULFONATE), an outstanding component that has antiseborrheic, anti-inflammatory, antimicrobial properties, and relieves itching and redness of the skin.

**PACKAGING:** 200 ml. bottle

**DIRECTIONS FOR USE:** Apply to wet scalp and massage. Let the product act for 3 to 10 minutes and rinse with plenty of water. Repeat application if needed. Use twice a week for at least 6 weeks.



## PIROTEX® DS CREAM

RELIEF FOR IRRITATED, REDDENED SKIN

**INDICATIONS:** Cream especially formulated to soothe signs of seborrheic skin and restore skin wellness.

**COMPOSITION:** **PARABEN-FREE.** CICLOPIROXOLAMINE, SUCROSE STEARATE, ICHTHYOL PALE (SODIUM SHALE OIL SULFONATE), PRUNUS ARMENIACA, GLYCOLIC ACID, SAW PALMETTO EXTRACT (SERENOA SERRULATA), FRAGRANCE (PARFUM).

**HIGHLIGHT INGREDIENT:** formulation includes ICHTHYOL PALE (SODIUM SHALE OIL SULFONATE), an outstanding component that has antiseborreic, anti-inflammatory, antimicrobial properties, and relieves itching and redness of the skin.

**PACKAGING:** 75 ml. bottle

**DIRECTIONS FOR USE:** Clean the skin area, apply PIROTEX® DS CREAM and massage until completely absorbed. Repeat this process at the morning and at night for at least one month to maintain good results.



## PIROTEX® DS EMULSION

SOOTHES REDDENED FACE AND BODY

**INDICATIONS:** Irritated and dry skin. Cradle cap of babies.

**COMPOSITION:** **PARABEN-FREE.**

ICHTHYOL PALE (SODIUM SHALE OIL SULFONATE), PRUNUS ARMENIACA, SAW PALMETO EXTRACT.

**HIGHLIGHT INGREDIENT:** formulation includes ICHTHYOL PALE (SODIUM SHALE OIL SULFONATE), an outstanding component that has antiseborreic, anti-inflammatory, antimicrobial properties, and relieves itching and redness of the skin.

**PACKAGING:** 75 ml. bottle

**DIRECTIONS FOR USE:** After properly cleaning the skin area, apply PIROTEX® DS EMULSION and massage. Repeat twice a day for 1 month.

**Cradle cap of babies:** Apply and let act for a maximum of 20 minutes. Then wash with a gentle baby shampoo.



## PIROTEX® DS LOTION

SOOTHES REDNESS AND ITCHING OF THE SCALP



**INDICATIONS:** : For alleviation of severe flaking, itching and redness of the scalp.

**COMPOSITION:** PARABEN-FREE.

PYRUS MALUS, ICHTHYOL PALE (SODIUM SHALE OIL SULFONATE), HYDROLYZED HAIR KERATIN, HYALURONIC ACID, TRITICUM VULGARE (WHEAT) GERM OIL, DIMETHICONOL CYSTEINE, SIMMONDSIA CHINENSIS (JOJOBA) SEED OIL, TOCOPHEROL, FRAGRANCE (PARFUM).

**HIGHLIGHT INGREDIENT:** formulation includes ICHTHYOL PALE (SODIUM SHALE OIL SULFONATE), an outstanding component that has antiseborreic, anti-inflammatory, antimicrobial properties, and relieves itching and redness of the skin.

**PACKAGING:** 200 ml. bottle

**DIRECTIONS FOR USE:** Apply to clean wet scalp and massage gently. Leave it on. Do not need to be rinse. Repeat this process every time the scalp is washed. Rinse thoroughly with water in case of contact with eyes.

## TAR-PLUS EMOLLIENT

RELIEVES PRURITUS AND SKIN IRRITATIONS



**INDICATIONS:** For the relief of skin conditions requiring keratolytic, anti-irritant and anti-inflammatory actions. Indicated in skin cases of psoriasis, pruritus and ichthyosis.

**COMPOSITION:** PARABEN-FREE.

PARAFINUM LIQUIDUM, ETHOXYLATED OCTYLPHENOL, POLYSORBATE 80, PEG-8 DILAURATE, OLEA EUROPAEA FRUIT OIL, PINUS PALUSTRIS OIL, JUNYPERUS OXICEDRUS, ISOPROPYL PALMITATE, ALCOHOL DENAT, SODIUM SHALE OIL SULFONATE, AQUA.

**HIGHLIGHT INGREDIENT:** formulation includes ICHTHYOL PALE (SODIUM SHALE OIL SULFONATE), an outstanding component that has antiseborreic, anti-inflammatory, antimicrobial properties, and relieves itching and redness of the skin.

**PACKAGING:** 400 ml. bottle

**DIRECTIONS FOR USE:** Shake before using.

**Bath:** Pour the quantity of product indicated by your physician into bathwater. Soak in the bathtub for at least 20 minutes. Gently pat dry without rubbing.

## TAR-PLUS LIQUID SOAP

SEBORRHEA. PRURITUS.



**INDICATIONS:** Formulated to wash skin affected by Seborrhea or Pruritus.

**COMPOSITION:** ICHTHYOL PALE (SODIUM SHALE OIL SULFONATE), POLYSORBATE 20, HEXYLENE GLYCOL, OCTOXYNOL-10, ARACHIS SYPOGAGEA, JUNIPERUS OXYCEDRUS, PINUS, LACTID ACID.

**HIGHLIGHT INGREDIENT:** formulation includes ICHTHYOL PALE (SODIUM SHALE OIL SULFONATE), an outstanding component that has antiseborreic, anti-inflammatory, antimicrobial properties, and relieves itching and redness of the skin.

**PACKAGING:** 200 ml. bottle  
500 ml. bottle

**DIRECTIONS FOR USE:** Unless otherwise indicated by a doctor, moisten the skin area with water and apply a quantity of product sufficient to produce abundant lather. Massage gently with fingertips. Let act for a few minutes and rinse with plenty of warm water. Repeat the process. Apply twice a week.



## TRIALTAL® ATÓPICO CREAM

COADJUVANT CREAM FOR ATOPIC SKIN CONDITION



**INDICATIONS:** A product conceived for patients with dry, sensitive or irritated atopic skin, accompanied by redness, inflammation and intense itching.

**COMPOSITION:** PARABEN-FREE.

AQUA, OLEA EUROPAEA FRUIT OIL, PARAFFINUM LIQUIDUM, PROPYLENE GLYCOL, DIMETHICONE, SODIUM SHALE OIL SULFONATE, B.H.T., PEG-40 CASTOR OIL, SODIUM CETEARYL SULFATE, HEXYL CINNAMAL, PERFUM, LINALOOL, BENZYL SALICYLATE, D-LIMONENE/DIPENTENE/1-LIMONENE, CITRONELLOL, GLYCERIN, BUTYLPHENYL METHYLPROPIONAL, SORBIC ACID, CINNAMYL ALCOHOL, EUGENOL.

**HIGHLIGHT INGREDIENT:** formulation includes ICHTHYOL PALE (SODIUM SHALE OIL SULFONATE), an outstanding component that has antiseborreic, anti-inflammatory, antimicrobial properties, and relieves itching and redness of the skin.

**PACKAGING:** 200 ml. bottle

**DIRECTIONS FOR USE:** Apply a thin layer of TRIALTAL® ATÓPICO CREMA once or twice a day. Gently massage the area the product has been applied to, until the cream is completely absorbed.



## **TRIETAL® ATÓPICO pH5**

LIQUID SOAP FOR ATOPIC SKIN CONDITION AND DRY SKIN

**INDICATIONS:** Indicated for hygiene and cleaning of sensitive, irritated and dry skin types. Ichthyosis.

**COMPOSITION: PARABEN-FREE.**

COCAMIDOPROPYL BETAINE, COCAMIDE DEA, ZEA MAIS OIL, OVUM, BUXUS CHINENSIS (ACEITE DE JOJOBA).

**PACKAGING:** 500 ml. bottle with pump dispenser

**DIRECTIONS FOR USE:** Moisten skin and apply the product on it. The use of a sponge is recommended if more foam is desired. Rinse the skin with plenty of water.







## ACON® HIGH POWER CONDITIONER SHAMPOO

**INDICATIONS:** Suitable for all type of hair.

**COMPOSITION: PARABEN-FREE.**

AQUA, MEA LAURYL SULFATE, COCAMIDE DEA, PEG-8 C12 18 ESTER, DIMETHICONE PROPYL PG-BETAINE, LACTIC ACID, PERFUME.

**PACKAGING:** 200 ml. bottle

**DIRECTIONS FOR USE:** Apply a small amount of shampoo over wet hair and massage gently. Rinse thoroughly with water. Repeat the process if necessary.



## ALMITAL® DEODORANT

**INDICATIONS:** Deodorant suitable for feet and armpits, as well as other areas with excessive sweating, such as thighs, chest and back. **Does not stain,** perfume-free, alcohol-free.

**COMPOSITION: PARABEN-FREE.**

**ALMITAL® Cream and Roll-on:** AQUA, TALC, ORIZA SATIVA, PARAFFINUM LIQUIDUM, DIMETHICONE, PROPYLENE GLYCOL, SODIUM BORATE, ZINC OXIDE, MENTHOL, SALICYLIC ACID, PEG-40 CASTOR OIL, SODIUM CETEARYL SULFATE.

**ALMITAL® Powder:** TALC, ORIZA SATIVA, SALICYLIC ACID, BORIC ACID, ZINC OXIDE, MENTHOL.

**PACKAGING:** 75 ml. tube with cream  
75 ml. Roll-on  
40 gr. Talcum powder container

**DIRECTIONS FOR USE: ALMITAL® Cream and Roll-on:** apply to affected areas such as armpits, thighs, skin folds, etc. after showering or washing. Spread the cream over the area and gently massage in. Repeat the process if necessary. **ALMITAL® Powder:** dust the product into footwear the night before using. It can also be sprinkled directly over area with excessive sweating.





## DERMOSUL

### ACID LIQUID SOAP (PH5)

**INDICATIONS:** Specific for care and washing of sensitive, irritable and dry skin. Corporal hygiene.

**COMPOSITION: PARABEN-FREE.**

TEA LAURYL SULFATE, COCAMIDE DEA, SODIUM CHLORIDE, LACTIC ACID.

**PACKAGING:** 1000 ml. bottle

**DIRECTIONS FOR USE:** Wet the area to be cleaned. Apply a small amount, rubbing gently to cause foam, and then rinse with water. It is advisable to repeat the process when washing hair.



## LACTODERMOL® PH 5,5

### MOISTURIZING LIQUID SOAP

**INDICATIONS:** For skin cleansing and moisturizing. Corporal hygiene and cleansing of scalp and intimate areas.

**COMPOSITION:** TEA LAURYL SULFATE, AMMONIUM LAURETH SULFATE, PEG-2 STEARATE, LACTIS LIPIDA (DAIRY WHEY), ALOE BARBADENSIS.

**PACKAGING:** 200 ml. bottle  
300 ml. bottle with pump dispenser  
1000 ml. bottle

**DIRECTIONS FOR USE:**

**For skin cleansing:** Wash with LACTODERMOL® WITH ALOE VERA and rinse thoroughly with water.

**For intimate hygiene:** Dilute three spoonfuls of LACTODERMOL® WITH ALOE VERA in a liter of water and apply by douching.

## **OPTIMUS®** MOSQUITO REPELLENT (TIGER MOSQUITO AND OTHERS)



**INDICATIONS:** For the prevention of tiger mosquito, other mosquitoes and insect bites.


**COMPOSITION:** ETHYL BUTYLACETYLAMONIPROPIONATE, ALCOHOL 96°, EXCIPIENTS.

**PACKAGING:** 75 ml. spray  
Box containing 12 sachets of 2ml. individual wipes

**DIRECTIONS FOR USE:** Apply to the body area to be protected. When applying to the face, first apply to the palms of the hands and then use them to spread the product (avoid contact with eyes and mouth). Do not apply to children's hands, as they often touch their eyes and mouth.







DERMOCOSMETIC



DERMOCOSMETIC



## DERMIUREA® FACIAL

FACIAL MOISTURIZER WITH UREA AND VEGETABLE CERAMIDES



**INDICATIONS:** Indicated for sensitive skin. Moistures and protects the skin while nourishing and protecting it against external aggression, providing firmness and comfort. It contains highly moisturizing ingredients such as Panthenol, Urea and Vitamin E. Formulated with SPF 20.

**COMPOSITION: PARABEN-FREE.**

UREA, BORAGO OFFICINALIS, TOCOPHERYL ACETATE, PANTHENOL, CENTELLA ASIÁTICA, OLEA EUROPEA, GLYCINA SOJA, PERSEA GRATISSIMA, SUPEROXIDE DISMUTASE, FAEX, GINKO BILOBA, PANAX GINSENG, BACCINIUM MYRTILLUS.

**PACKAGING:** 50 ml. jar

**DIRECTIONS FOR USE:** Apply a small amount of cream on clean face and neck. Massage with fingertips until completely absorbed. Daily use gives luminosity to the skin.



## HIDROMAR® REVITALIZING AND REGENERATING FACIAL CREAM WITH ISOFLAVONES 1%




**INDICATIONS:** Regenerating, anti-aging facial cream.

**COMPOSITION:** PRUNUS AMYGDALUS DULCIS (SWEET ALMOND) SEED EXTRACT, SILANETRIOL THREALOSE ETHER, DIMETHYL SILANOL HYALURONATE, SODIUM POLYACRYLATE, ETHYLHEXYL STEARATE, TRIDECETH-6, BUTYLENE GLYCOL, TRIFOLIUM PRATENSE (CLOVER) LEAF EXTRACT (Isoflavones 1%).

**PACKAGING:** 50 ml. jar

**DIRECTIONS FOR USE:** Apply a small amount of cream on face and neck. Massage with fingertips until completely absorbed. It can be applied as a day or night cream, because it is rapidly absorbed by the skin and leaves no greasy or oily feel. An improvement in the appearance of skin can be seen (it appears smoother and more luminous) when the product is applied daily.







SKIN  
PHARMACEUTICAL  
SPECIALTIES

---

## **SARCOP®** SCABICIDE TREATMENT CREAM

**INDICATIONS:** Scabicide treatment.

**COMPOSITION:** PERMETHRIN (DCI) 5 %, EXCIPIENT.

**PACKAGING:** 40 gr. tube  
70 gr. tube

**DIRECTIONS FOR USE:** SARCOP® must be applied to the entire body from the base of the neck to the toes, leaving no area untreated except face and head. Possible exceptions in cases of infants and the elderly should be considered. Consult your physician.

Pay special attention to apply the cream over inter-digital spaces of the hands and feet, armpits and thighs, external genitals and anal area.

It should be noted that the nails may contain mites or eggs from scratching and so they must also be treated with the cream.

Once the cream is applied, it should be left in contact with the skin for at least 12 hours, after which showering or bathing should be done to remove the product. It is advisable to use warm or cold water for washing.

Once treated, patients with scabies may experience persistent itching. This may be due to hypersensitivity responses. This itching will slowly disappear.

Treatment should be done simultaneously to all contacts of the infected patient (the entire family, work and school mates) as the contagion can occur by direct and prolonged contact with infected persons. There is also indirect transmission via clothing, bedding, towels, etc., although in this case the incidence is much lower.

Some physicians recommend screening patients two and four weeks after starting treatment. If the patient is free from new lesions at the end of the second week, but new lesions are detected after four weeks, the existence of a re-infestation rather than a therapeutic failure should be considered. Since it is relatively easy for re-infestation to occur, please ask a medical professional for guidelines regarding hygienic measures to take into account for the entire family



---

when contacting others; washing clothing, bedding, towels, etc.; using common areas, etc.

Treatment should be done simultaneously to all contacts of the infected patient (whole family, co-workers or school) because the infection can be done by direct and prolonged contact with infected people, but there is also indirect transmission through clothing, bedding, towels, etc., although in this case the incidence is much lower.